

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"5267242".pn. and (address\$3 same capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:09
L2	1	"5267242".pn. and ((physical near3 address\$3) or capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:09
L3	1	"5812414".pn. and ((physical near3 address\$3) or capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:10
L4	1	"5812414".pn. and (( address\$3) or capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:11
L5	0	"5812414".pn. and (address same capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:12
L6	1	"5812414".pn. and (address and capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:12
L7	2	"6182159".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:23

L8	0	"6182159".pn. and (error\$1 or exceed\$3 or beyond)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:42
L9	392	(error\$1 same memory same capacity same address \$3 ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:44
L10	30	(error\$1 with memory with capacity with address\$3 ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:44
L11	0	(error\$1 with memory with capacity with (physical near2 address\$3 ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:48
L12	10	(error\$1 same memory same capacity same (physical near2 address \$3 ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:49
L13	2	(error\$1 same exceed\$3 same capacity same (physical near2 address \$3 ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:54
L14	0	"6182159".pn. and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:09
L15	1	"6182159".pn. and replac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:10

L16	6	((replac\$3 with chip\$1 with power with off ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:12
L17	118	((replac\$3 with chip\$1 with power ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:13
L18	4	((replac\$3 near5 chip\$1 ) with (power near5 off ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:14
L19	0	((replac\$3 near5 chip\$1 ) with (power near5 turn \$3 ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:14
L20	11	((replac\$3 near5 chip\$1 ) with (power near5 suppl \$3 ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:15
L21	14	((replac\$3 near5 chip\$1 ) same (power near5 off ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:18
L22	2	"20050223243"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:35
L23	1	"20050223243" and (encrypt \$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:36

S1	1	10/579577	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 14:30
S2	2	"20080040358"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 14:30
S3	1	PCT/CN04/01320	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 14:31
S4	1	"20080040358" and ((number\$1 near3 partition \$1) same (descriptor\$1) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 14:53
S5	26	(( ( used or old ) near5 (chip \$1 or memory ) ) same ((combin\$3 or configur\$3 or reconfigur\$3) with ( file\$1 near5 system\$1) ) ) and @rlad< "20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 15:07
S6	113	707/823.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 15:09
S7	40	707/824.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 15:09
S8	0	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 15:09

S9	39	(( removable near5 (memor\$3 or device\$1 ) ) same ((combin\$3 or configur\$3 or reconfigur\$3 ) with ( file\$1 near5 system\$1 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 15:21
S10	2	"6182159".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 09:33
S11	2	"5812414".pn. and (determin\$3 or check\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 10:56
S12	2	"5812414".pn. and (determin\$3 or check\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 10:56
S13	2	"20100031804" and (determin\$3 or check\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 10:59
S14	2	"20070120860" and (determin\$3 or check\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:01
S15	2717	(( ( used or old ) near2 (chip\$1 or memory ) ) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:04
S16	52	(( (determin\$3 or check\$3 ) near5 ( ( used or old ) near2 (chip\$1 or memory ) ) ) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:05

S17	3	(( (determin\$3 or check\$3 ) near5 ( (condition\$1 ) near2 (chip\$1 or memory ) ) ) same ((configur \$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:11
S18	63	(( (determin\$3 or check\$3 ) near5 ( (existing or current) near5 (chip\$1 or memory ) ) ) same ((configur \$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:14
S19	83	(( (determin\$3 or check\$3 ) near5 ( (new or used) near3 (chip\$1 or memory ) ) ) same ((configur \$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:23
S20	12	(( (determin\$3 or check\$3 ) near5 ( (new ) near3 (chip \$1 or memory ) ) ) same ((configur\$3 or reconfigur \$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:24
S21	83	(( (determin\$3 or check\$3 ) near5 ( (new or used ) near3 (chip\$1 or memory ) ) ) same ((configur \$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:36
S22	54	(( (determin\$3 or check\$3 ) near5 ( (new or used ) near2 (chip\$1 or memory ) ) ) same ((configur \$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:36
S23	4	(( (determin\$3 or check\$3 ) near5 ( (new or old ) near2 (chip\$1 or memory ) ) ) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:40
S24	203	(( (determin\$3 or check\$3 ) near5 ( (condition ) near2 (chip\$1 or memory ) ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:41

S25	680	(( (determin\$3 or check\$3 ) near5 ( (condition ) near2 (chip\$1 or memory ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:41
S26	415	(( (determin\$3 or check\$3 ) near2 ( (condition ) near2 (chip\$1 or memory ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:41
S27	257	(( (determin\$3 or check\$3 ) near1 ( (condition ) near2 (chip\$1 or memory ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:41
S28	186	(( (determin\$3 ) near1 ( (condition ) near2 (chip\$1 or memory ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:41
S29	7	(( (determin\$3 ) near1 ( (condition ) near2 (chip\$1 or memory ) ) ) with (used or new or old ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:42
S30	37	(( (determin\$3 ) near1 ( (condition ) near5 (chip\$1 or memory ) ) ) with (used or new or old ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:43
S31	12	(( (determin\$3 ) near1 ( (condition ) near5 (chip\$1 or memory ) ) ) with (new or old ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:44
S32	474	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) ) with (new or old ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:45

S33	219	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) ) near5 (new or old ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:45
S34	124	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) ) near3 (new or old ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:45
S35	238	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) ) near3 (condition\$1 ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:47
S36	173	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) ) near2 (condition\$1 ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:47
S37	95	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) ) near1 (condition\$1 ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:47
S38	317	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) ) near1 (new or used ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:53
S39	33	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) ) near1 (new ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:54
S40	2	"4485477".pn. and (new or used old or existing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:56



S41	0	(( (determin\$3 ) near1 ( use near2 condition near2 (memory or chip\$1) ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:59
S42	0	(( (determin\$3 ) near2 ( use near2 condition near2 (memory or chip\$1) ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:59
S43	0	(( (determin\$3 ) near5 ( use near2 condition near2 (memory or chip\$1) ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:59
S44	0	(( (determin\$3 ) near5 ( use near2 condition ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:59
S45	0	use near2 condition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 12:00
S46	1	"5267242".pn. and (new or used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 12:02
S47	1	"5267242".pn. and (new or used or determin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 12:04

9/ 8/ 2010 6:48:42 PM

C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-579-577\_\_1.wsp